

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 088 536 A2**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
04.04.2001 Bulletin 2001/14

(51) Int Cl.7: **A61F 13/15**

(21) Application number: **00308474.6**

(22) Date of filing: **27.09.2000**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Carvalho, Antonio Carlos Ribeiro
Taubate, Sao Paulo, SP (BR)**

(74) Representative: **Mercer, Christopher Paul
Carpmaels & Ransford
43, Bloomsbury Square
London WC1A 2RA (GB)**

(30) Priority: **28.09.1999 BR 9904370**

(71) Applicant: **Johnson & Johnson Industria e
Comercio Ltda.
05501-030 Sao Paulo, SP (BR)**

(54) **A hygienic napkin**

(57) The present invention is related to a women's disposable hygienic napkin for external use, more specifically a women's disposable hygienic napkin provided

with corrugations (90, 100) conformable in its whole structure, which makes it possible to adapt the hygienic napkin to the users panties according to her needs.

EP 1 088 536 A2

Description

Disclosure of the Invention

[0001] The present invention is related to a women's disposable hygienic napkin for external use, more specifically a women's disposable hygienic napkin provided with corrugations conformable in its whole structure, which makes it possible to adapt the hygienic napkin to the user's panties according to her needs.

[0002] Women's disposable hygienic napkins are articles widely known in the state of the art that comprise an absorbent core sandwiched between two layers known as top sheet and lining sheet.

[0003] Usually, the top sheet is permeable to fluids and its function is to allow the passage of the menstrual fluid towards the absorbent core, thus keeping the fluid away from the user's body. It can be comprised of a layer of a material other than a fabric or composed of a perforated plastic film or any other material for performing said function.

[0004] Usually, the lining sheet is impermeable or resistant to the passage of liquids and is used to prevent the fluid absorbed by the absorbent core from leaking. It may comprise a non-perforated plastic sheet or any other material having such features.

[0005] The absorbent core is composed of synthetic cellulosic or textile fibers such as rayon, polyester and the like. Its purpose is to contain the vaginal exudates. In the assumption that the absorbent core contains a superabsorbent material, it can present a large range of particle size and be distributed in any of a number of ways, for example, as a layer, or film, or as individual particles. As example of superabsorbent material that can be used is sodium polymethacrylate or any other suitable superabsorbent material.

[0006] The required features in a women's disposable hygienic napkin so that it pleases its users mainly include the anatomical adaptation, the fast absorption, the fixation in its place during use, and also must be discreet and comfortable.

[0007] The conventional women's disposable hygienic napkins shrink and the user's movement changes its initial configuration, for the movement tends to conform the napkin to the geometry of the space between the user's thighs, thus making it possible the occurrence of discomfort and premature leakage.

[0008] The prior art has tried to optimize the efficiency of those disposable products by using static concepts of the body shape in the pulp and improving the absorption of the menstrual fluid.

[0009] Examples of articles of the state of the art the purpose of which is the anatomical adaptation include the hourglass shape used in women's hygienic napkins, for example in U.S. Patent No. 3,805,790 (Kimberly-Clark) and U.S. Patent No. 4,758,241 (Elissa D. Papajohn). Said configuration takes into account the space between the user's thighs close to the vaginal re-

gion, thus providing an improvement over rectangular-shaped articles, but said women's napkins do not take into account the individuality of the space between the user's thighs and the variety of panties used nowadays.

5 [0010] Another important example of the prior art is the women's hygienic napkin with a corrugated absorbent core, for example in U.S. Patent No. 3,411,504 (J. A. Glasman). Said women's hygienic napkin comprises an absorbent core provided with longitudinal embossed
10 lines for a faster flow of the menstrual fluid, but it does not take into account the user's anatomy.

[0011] Still another example of the prior art women's hygienic napkin is U.S. Patent No. 3,954,107 (Colgate Palmolive) that is provided with two parallel longitudinal
15 absorbent cores having a channel therebetween whose function is to collect the fluid and direct same to the longitudinal ends of the article, not aiming at the women anatomy or comfort.

[0012] The objective of the present invention is to overcome the above described inconveniences by improving the state of art in order to offer the user a better adaptation, an efficient absorption, protection, comfort
20 and discretion.

[0013] The invention is based on a women's disposable hygienic napkin for external use characterized by
25 having longitudinal corrugations conformed in its whole structure that allows the hygienic napkin to extend and/or shrink and adapt same to user's panties according to her needs.

[0014] It should be understood by conformable corrugations the longitudinal folds throughout the structure of the absorbent article that provide a corrugated structure that is adaptable according to the user's needs at the time she puts the hygienic napkin on. The corrugations
30 are disposed in such a way that they are parallel to the longitudinal axis of the product before use. The corrugations are not necessarily regular.

[0015] It should be understood by adaptation all and any extension or side compression against the women's hygienic napkin, in a way that said hygienic napkin can be extended and positioned by the user in the required place when she puts it on. The extensibility of the hygienic napkin attained by the corrugations provides a better adequacy to the dimensions of the panties, thus providing comfort and safety to the user.
40

[0016] An alternative of the present invention relates to a conformable corrugated absorbent structure that makes out the women's hygienic napkin, wherein the longitudinal folds are conformed in such a way that they are kept at least until the moment of use. The conformation of the structure of the absorbent article is stabilized by one of the sides of the product, that is, on the surface, in the lower part of the longitudinal cavities or on the inner walls of the corrugations on one of its sides.
45

[0017] The conformation must be kept at least until the time the napkin is put on, in such a way that the structure of the absorbent article can be adapted to the user's needs, that is, said conformation must provide a lateral
50

extensibility to the structure of the absorbent article whenever required.

[0018] The conformation process is selected in accordance with the types of materials of the absorbent structure used. The conformation can be attained, for example, through heating, adhesive application, embossing of the tips by means of heat, adhesive, or both, and the like.

[0019] In the event of conformation through the application of an adhesive, a suitable adhesive is the pressure sensitive adhesive (PSA).

[0020] A suitable way to maintain the structure of the absorbent article is to spray an adhesive on a smooth surface, for example a film, and then overlap the structure of the previously corrugated hygienic napkin over said film.

[0021] At the time it is put on, the smooth surface is removed, the ends are extended and/or compressed and then attached to the panties.

[0022] Another typical way to conform the structure of the absorbent article is to apply adhesive lines in the inner regions of the protuberances of the corrugations and to place the corrugations close to one another.

[0023] At the time it is put on, the ends of the absorbent article are extended and/or compressed, thus exposing the adhesive regions for attaching said napkin to the user's panties.

[0024] The corrugation or longitudinal fold of the absorbent structure is attained by procedures known to one skilled in the art, for example, the use of a male-female configuration.

[0025] The absorbent article of the present invention may also comprise side fastening wings.

[0026] The present invention will be described below through the accompanying drawings that represent a preferred embodiment, without excluding other alternative embodiments of protection defined in the attached claims. The relevant figures are as follows:

Figure 1 - a perspective view of the women's hygienic napkin in accordance with the present invention;

Figure 2 - a cross-sectional cut view of the women's hygienic napkin illustrated in Figure 1;

Figure 3 - a cross-sectional cut view of a variation of the conformation of the women's hygienic napkin illustrated in Figure 1;

Figure 4 - a detailed cross-section cut view of the variation of the conformation illustrated in Figure 3, with the corrugations close to one another;

Figure 5 - a view of the women's hygienic napkin of the invention, when it is initially adjusted to the panties;

Figure 6 - a view of the women's hygienic napkin of the invention, in the sequence of the adjustment to the panties;

Figure 7 - a cross-section cut view of the women's hygienic napkin illustrated in Figure 1.

[0027] The women's hygienic napkin 10 of the present invention is comprised of a substantially oblong absorbent core 25 disposed between two layers known as top sheet 20 and lining sheet 30.

5 [0028] The top sheet 20 is permeable to fluid and its function is to allow the passage of the menstrual fluid towards the absorbent core 25, thus keeping the fluid away from the user's body. Therefore, it should comprise a layer of a material other than fabric or made of a perforated plastic film or any material that performs this function.

10 [0029] The lining sheet 30, opposite the top sheet 20, is impermeable or resistant to the passage of liquids and used to prevent the fluid absorbed by the absorbent core 25 from leaking. Therefore, it should comprise a non-perforated plastic sheet or any other material having such features.

15 [0030] Still, according to the present invention, the women's hygienic napkin 10 is preferably provided with wings or borders 40 that if extend laterally from the top sheet 20 and/or of the lining sheet 30 of the women's hygienic napkin 10 and they help in the attachment of the napkin to the user's panties. In the lower part of each side wing, there is an adhesive 60 covered by a removable protection sheet 50.

20 [0031] As shown in Figure 2, the women's hygienic napkin 10 is provided with longitudinal conformable corrugations that can extend throughout its whole structure. Such corrugations are formed by alternating protuberances 90 and cavities 100. Said protuberances 90 and cavities 100 are not necessarily regular.

25 [0032] Said corrugated structure of the women's hygienic napkin 10 can be maintained until the time of use by the adhesive regions 70 located in the lower part of the cavities 100, protected by a removable protection sheet 80.

30 [0033] Figure 3 shows another alternative of the stabilization of the corrugated structure of the women's hygienic napkin 10, wherein said structure is maintained through the application of adhesive 71 to the lower part of the protuberances 90, and the corrugations are disposed close to one another as shown in Figure 4. In Figure 3, it is also shown an apparent thickness "e" characterized by the formation of the corrugations. The same happens in Figure 4, wherein the apparent thickness "E" is formed by the approximation of the corrugations. Preferable, "E" up to fifteen times higher than "e".

35 [0034] Figure 5 shows said women's hygienic napkin 10 at the time it is placed on the panties 110 of the user 120. Said napkin can be extended in the front portion in direction X as far as a position "a" according to the needs of the user 120.

40 [0035] Similarly, in Figure 6 the women's hygienic napkin 10 is shown extended in the lower part, in direction X as far as a position "b" according to the needs of the user 120.

45 [0036] Preferably, the positions "a" and "b" can be extended as far as about five times the initial width of the

corrugated absorbent.

[0037] Figure 7 shows another alternative of the stabilization of the corrugated structure of the hygienic napkin 10, wherein said structure is maintained through the application of adhesive 71 to the lower part of the protuberances 90 and cavities 100 continuously. 5

[0038] Although not shown in the accompanying figures, the central third part of the absorbent article 10 can be made of a non-corrugated material. 10

Claims

1. A disposable women's hygienic napkin for external use, comprised of longitudinal conformable corrugations in its whole structure that allow the hygienic napkin to extend and/or shrink by adapting same to the user's panties. 15
2. A disposable women's hygienic napkin according to claim 1, wherein said extension and/or shrinkage is preferably up to about five times the initial width of the corrugated absorbent. 20
3. A disposable women's hygienic napkin according to claim 1, wherein the apparent thickness is preferably of up to about five times the initial apparent thickness of the corrugated absorbent. 25
4. A disposable women's hygienic napkin according to claim 1, also comprising wings that extend laterally. 30
5. A disposable women's hygienic napkin according to claim 1, wherein, before use, the corrugations are maintained by a smooth surface that contacts the adhesive regions in the lower parts of the cavities. 35
6. A disposable women's hygienic napkin according to claim 1, wherein, before use, the corrugations are maintained by the adhesive lines disposed between the lower regions of the protuberances of the corrugations. 40
7. A disposable women's hygienic napkin according to claim 1, wherein, before use, the corrugations are maintained by the adhesive lines disposed between the lower regions of the protuberances and cavities the corrugations. 45
8. A disposable women's hygienic napkin according to claim 1, wherein the central third part of the women's hygienic napkin is preferably non-corrugated. 50

55

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7





(19)

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 088 536 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
23.05.2001 Bulletin 2001/21

(51) Int Cl.7: **A61F 13/15**

(43) Date of publication A2:
04.04.2001 Bulletin 2001/14

(21) Application number: 00308474.6

(22) Date of filing: 27.09.2000

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Carvalho, Antonio Carlos Ribeiro**
Taubate, Sao Paulo, SP (BR)

(74) Representative: **Mercer, Christopher Paul**
Carpmaels & Ransford
43, Bloomsbury Square
London WC1A 2RA (GB)

(30) Priority: 28.09.1999 BR 9904370


(71) Applicant: **Johnson & Johnson Industria e
Comercio Ltda.**
05501-030 Sao Paulo, SP (BR)

(54) **A hygienic napkin**

(57) The present invention is related to a women's disposable hygienic napkin for external use, more specifically a women's disposable hygienic napkin provided

with corrugations (90, 100) conformable in its whole structure, which makes it possible to adapt the hygienic napkin to the users panties according to her needs.

FIG. 1



EP 1 088 536 A3

EP 1 088 536 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 00 30 8474

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	EP 0 137 644 A (PERSONAL PRODUCTS CO) 17 April 1985 (1985-04-17) * abstract; figures 2,2A,3,3A,4,6,7,9-12 *	1,5-7	A61F13/15
A	US 5 591 150 A (BITTAR SANDRA R ET AL) 7 January 1997 (1997-01-07) * abstract; figures 1,4,20A,20B *	1	
A	EP 0 888 765 A (PROCTER & GAMBLE) 7 January 1999 (1999-01-07) * column 17, line 28 - line 45; figures 7A,7B *	1	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.7) A61F
Place of search MUNICH		Date of completion of the search 22 March 2001	Examiner Louter, P
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date O : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 (03.02) (REV.01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 30 8474

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

22-03-2001

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0137644	A	17-04-1985	US 4578070 A	25-03-1986
			AT 55238 T	15-08-1990
			AU 565232 B	10-09-1987
			AU 3190284 A	21-02-1985
			BR 8404038 A	16-07-1985
			CA 1226120 A	01-09-1987
			DE 3482928 D	13-09-1990
			DK 390084 A	16-02-1985
			ES 292423 U	01-06-1986
			ES 292424 U	01-06-1986
			ES 292532 U	16-12-1986
			FI 843203 A,B,	16-02-1985
			GB 2145126 A,B	20-03-1985
			GR 79970 A	31-10-1984
			HK 99386 A	24-12-1986
			IE 55605 B	21-11-1990
			JP 2096329 C	02-10-1996
			JP 7121270 B	25-12-1995
			JP 60052603 A	25-03-1985
			KR 9103223 B	24-05-1991
			MX 172130 B	06-12-1993
			MY 28987 A	31-12-1987
			NO 843242 A,B,	18-02-1985
			NZ 209139 A	30-10-1987
			NZ 221338 A	28-10-1988
			PH 22505 A	12-09-1988
			PT 79069 A,B	01-09-1984
			SG 75586 G	27-02-1987
			ZA 8406312 A	26-03-1986
			CA 1253320 A	02-05-1989
			MX 161113 A	31-07-1990
			CA 1253319 A	02-05-1989
US 5591150	A	07-01-1997	US 5334176 A	02-08-1994
			US 5824004 A	20-10-1998
			US 5356405 A	18-10-1994
			AU 701627 B	04-02-1999
			AU 2360895 A	05-12-1995
			AU 9712098 A	04-03-1999
			EP 0749297 A	27-12-1996
			JP 10500047 T	06-01-1998
			KR 231313 B	15-11-1999
			WO 9531165 A	23-11-1995
			ZA 9503794 A	16-04-1996
			AT 184475 T	15-10-1999
			AT 142467 T	15-09-1996

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 30 8474

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

22-03-2001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5591150 A		AT 143247 T	15-10-1996
		AT 148831 T	15-02-1997
		AT 174208 T	15-12-1998
		AT 155032 T	15-07-1997
		AT 142468 T	15-09-1996
		AT 149823 T	15-03-1997
		AU 669118 B	30-05-1996
		AU 2318392 A	23-02-1993
		AU 663104 B	28-09-1995
		AU 2374292 A	23-02-1993
		AU 2383092 A	23-02-1993
		AU 2383192 A	23-02-1993
		AU 2399392 A	23-02-1993
		AU 662350 B	31-08-1995
		AU 2402592 A	23-02-1993
		AU 662757 B	14-09-1995
		AU 2420492 A	23-02-1993
		AU 2421392 A	23-02-1993
		AU 2507595 A	14-09-1995
		AU 2507695 A	14-09-1995
		AU 4021895 A	29-02-1996
		AU 4021995 A	29-02-1996
		AU 5844198 A	04-06-1998
		AU 5951498 A	01-10-1998
		AU 5954298 A	01-10-1998
		AU 8189298 A	15-10-1998
		AU 8307898 A	24-12-1998
		BR 9205320 A	05-04-1994
		BR 9205329 A	05-10-1993
		BR 9205330 A	16-11-1993
		BR 9205346 A	16-11-1993
		BR 9206307 A	02-08-1994
		CA 2092196 A,C	24-01-1993
		CA 2092197 A	24-01-1993
		CA 2092198 A,C	24-01-1993
		CA 2092199 A	24-01-1993
		CA 2092202 A,C	24-01-1993
EP 0888765 A	07-01-1999	EP 0888763 A	07-01-1999
		EP 0888762 A	07-01-1999
		AU 7785298 A	25-01-1999
		BR 9810528 A	29-08-2000
		CN 1268043 T	27-09-2000
		EP 0991387 A	12-04-2000
		WO 9901097 A	14-01-1999
		NO 996585 A	28-02-2000

EPO FORM P0439

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

EP 1 088 536 A3

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 30 8474

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

22-03-2001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0888765 A		AU 7784998 A	25-01-1999
		AU 7785098 A	25-01-1999
		BR 9810533 A	12-09-2000
		BR 9810534 A	29-08-2000
		CN 1268038 T	27-09-2000
		CN 1268042 T	27-09-2000
		EP 0993288 A	19-04-2000
		EP 0993289 A	19-04-2000
		WO 9901094 A	14-01-1999
		WO 9901095 A	14-01-1999
		NO 996583 A	28-02-2000
		PL 337727 A	28-08-2000
		ZA 9805729 A	06-01-1999
		ZA 9805731 A	06-01-1999
		ZA 9805732 A	19-01-1999
		AU 7785198 A	25-01-1999
		BR 9810662 A	29-08-2000
		CN 1268041 T	27-09-2000
		EP 0993290 A	19-04-2000
		HU 0002647 A	28-12-2000
		WO 9901096 A	14-01-1999
		NO 996584 A	28-02-2000
		PL 337726 A	28-08-2000
		ZA 9805730 A	06-01-1999

EPO FORM P0158

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82